

Fraxinus americana - Plant



Fraxinus americana, commonly called white ash, is native to eastern North America.

Rating: Not Rated Yet

Price

Variant price modifier:

Base price with tax

Price with discount ?1234567

Salesprice with discount

Sales price ?1234567

Sales price without tax ?1234567

Discount

Tax amount

[Ask a question about this product](#)

Description

With this purchase you will get:

01

Fraxinus americana Plant

Description for *Fraxinus americana*

Plant height: 3 - 6 inches (7 - 16 cm)

Plant spread:

Fraxinus americana is a species of ash tree native to eastern and central North America. It is found in mesophytic hardwood forests from Nova Scotia west to Minnesota, south to northern Florida, and southwest to eastern Texas.

Common name(s): white ash, American ash, Canadian ash, American white ash

Flower colours: light green to purplish

Bloom time: April to May

Max reachable height: 60.00 to 80.00 feet

Difficulty to grow: easy to grow

Planting and care

Fraxinus americana is a fine timber tree up to about 30 m in height, with a long, straight trunk and a rounded crown at maturity. The bark is dark grey with a uniform diamond-shaped ridge and furrow pattern.

The leaves are deciduous, dropping in the autumn. They occur in opposite pairs, each leaf divided into seven or nine (rarely five) leaflets. The leaflets are dark green above and usually appear white beneath due to a waxy coating.

Sunlight: Full sun

Soil: well-drained soil

Water: Medium

Temperature: 34 C

Fertilizer: apply any organic fertilizer

Caring for *Fraxinus americana*

- The emerald ash borer (*Agrilus planipennis*), a beetle native to Asia, is a serious threat to *Fraxinus* species in North America.
- It is thought to have been introduced to North America in wooden packing material and in 2002 was identified as the cause of the decline and mortality of ash trees that had been noted in the Detroit (Michigan) metropolitan area.
- It has since caused extensive damage to ash trees in the USA and Canada, killing an estimated 30 million trees.
- It has now been discovered in the region of Moscow and there is concern it could spread to the rest of Europe, leading to further economic and ecological damage.
- Much work is hence being carried out to prevent the spread of this beetle to protect ash trees.

Typical uses of *Fraxinus americana*

Special features: Planting new ash trees is no longer recommended given the susceptibility of this tree to the emerald ash borer.

Culinary use: na

Ornamental use: White ash is planted as an ornamental tree in parks and large gardens. Cultivars such as *Fraxinus americana* 'Autumn Purple'™ provide a variety of autumn leaf colours.

Medicinal use: The bark is astringent, emmenagogue and a bitter tonic. An infusion is used to promote menstruation. It has also been used as a wash to treat skin sores, itches and vermin on the scalp

References

<http://www.pfaf.org/user/Plant.aspx?LatinName=Fraxinus+americana>

<http://www.missouribotanicalgarden.org/PlantFinder/PlantFinderDetails.aspx?kempercode=a867>

Reviews

Friday, 25 October 2019

Plant received looks good. However, exact review can be given after the plant starts to grow.

Saurabh Paarekh