

Cabbage Red Imported- Seeds (buy1get1free)



Cabbage 1 packet contains Cabbage - 40 seeds.

Rating: Not Rated Yet

Price

Sales price 115

Discount

Item will be shipped by 3 - 5 days

[Ask a question about this product](#)

Description

Description for Cabbage Red Imported

Cabbage (*Brassica oleracea* or variants) is a leafy green biennial plant, grown as an annual vegetable crop for its dense-leaved heads. Closely related to other cole crops, such as broccoli, cauliflower, and brussels sprouts, it descends from *B. oleracea* var. *oleracea*, a wild field cabbage.

Cabbage heads generally range from 1 to 8 pounds (0.5 to 4 kg), and can be green, purple and white. Smooth-leaved firm-headed green cabbages are the most common, with smooth-leaved red and crinkle-leaved savoy cabbages of both colors seen more rarely.

This cool-season crop grows best when daytime temperatures are in the 60s F. Direct-seed or transplant spring crops for fresh use in summer. Plant fall crops for winter storage or sauerkraut. Lifecycle: annual

Ease-of-care: moderately difficult, Requires good soil, timely planting and protection from pests.

<p>Common name wild cabbage, cabbage, broccoli, cauliflower, broccoflower, kale, borecole, collards, gai lan, kai lan, Brussels sprouts, kohlrabi, knol-kohl, purple sprouting, sprouting broccoli, calabrese.</p>	<p>Flower colours -</p>	<p>Bloom time Winter</p>	<p>Height Height: 1 to 2 feet Spread: 1.5 to 3 feet</p>	<p>Difficulty Easy to moderate</p>
--	-----------------------------	------------------------------	---	--

Planting and care

The planting season for cabbage is quite long. Early cabbage should be transplanted as soon as possible so that it can mature before

summertime heat. If you have been wondering when to plant cabbage plants, you should know that several varieties are available at different maturity times so you can have a harvest all summer long.

When thinking about when to plant cabbage plants, you should remember that hardened plants can be very tolerant of frosts. Therefore, you can plant these early in the spring with other cool season vegetables. Late cabbage can be started during mid-summer, but remember that they won't develop a head until fall.

Sunlight	Soil	Water	Temperature	Fertilizer
Cabbage needs at least 6 hours of full sun each day; more is better.	Requires well-drained soil, fertile soil high in organic matter, pH 6.0 to 7.5. Can tolerate slightly alkaline soil. This heavy feeder also needs plentiful, consistent moisture.	Water regularly, applying 1 to 1.5 inches of water per week if it doesn't rain.	Germination temperature: 45 F to 85 F - Will germinate at soil temperatures as low as 40 F.	Fertilize plants again with a liquid fertilizer such as fish emulsion or 20-20-20 after they begin to develop new leaves and when they start forming heads.

Caring for Cabbage Red Imported

- When transplants reach 5 inches tall, thin to make sure they are still the desired length apart. (The plants you remove can be transplanted elsewhere in your garden.)
- Fertilize 3 weeks after transplanting.
- Keep soil moist with mulch and water 2 inches per week.
- Start cabbage seeds indoors 6 to 8 weeks before the last spring frost.
- See frost dates for your area here.
- Harden off plants over the course of a week.
- To prepare soil, till in aged manure or compost.
- Transplant outdoors 2 to 3 weeks before the last expected frost date. Choose a cloudy afternoon.
- Plant 12 to 24 inches apart in rows, depending on size of head desired. The closer you plant, the smaller the heads.
- Mulch thickly to retain moisture and regulate soil temperature.
- Practice crop rotation with cabbage year to year to avoid a build-up of soil borne diseases.
- Although broccoli, cauliflower and cabbage are closely related, cabbage will not tolerate them. Also avoid proximity to strawberries and tomatoes.
- Cabbage can be grown near beans and cucumbers.

Harvesting

Harvest when heads reach desired size and are firm. This will take around 70 days for most green cabbage varieties.

Most early varieties will produce 1- to 3-pound heads.

Cut each cabbage head at its base with a sharp knife. After harvesting, bring inside or put in shade immediately.

To get two crops from early cabbage plants, cut the cabbage head out of the plant, leaving the outer leaves and root in the garden.

The plant will send up new heads—pinch them off until only four or so smaller heads remain.

When these grow to tennis-ball size, they will be perfect for salad.

After harvesting, remove the entire stem and root system from the soil to prevent disease build up.

Only compost healthy plants; destroy those with maggot infestation.

Cabbage can be stored in the refrigerator for no more than two weeks, wrapped lightly in plastic. Make sure it is dry before storing.

In proper root cellar conditions, cabbage will keep for up to 3 months.

Typical uses of Cabbage Red Imported

Special features:

Culinary use:

Cabbage is prepared and consumed in many ways. The simplest options include eating the vegetable raw or steaming it, though many cuisines pickle, stew, sauté or braise cabbage.

Pickling is one of the most popular ways of preserving cabbage, creating dishes such as sauerkraut and kimchee, although kimchee is more often made from Chinese cabbage.

Savoy cabbages are usually used in salads, while smooth-leaf types are utilized for both market sales and processing. Bean curd and cabbage is a staple of Chinese cooking, while the British dish bubble and squeak is made primarily with salt beef and boiled cabbage.

Medicinal use:

Cabbage is a good source of beta-carotene, vitamin C and fiber.

Studies suggest that it, as well as other cruciferous vegetables, may reduce the risk of some cancers, especially those in the colorectal group.

Purple cabbage also contains anthocyanins, which in other vegetables have been shown to have anti-carcinogenic properties.

Along with other cole crops, cabbage is a source of indole-3-carbinol, a chemical that boosts DNA repair in cells.

The Ancient Greeks recommended consuming the vegetable as a laxative, and used cabbage juice as an antidote for mushroom poisoning, for eye salves, and they prepared liniments with the plant to help bruises heal
The cooling properties of the leaves were used in Britain as a treatment for trench foot in World War I, and as compresses for ulcers and breast abscesses.

Accumulated scientific evidence corroborates that cabbage leaf treatment can reduce the pain and hardness of engorged breasts, and increase the duration of breast feeding.

References

<http://www.kew.org/science-conservation/plants-fungi/brassica-oleracea-wild-cabbage> <https://bonnieplants.com/growing/growing-cabbage/>

Reviews

Wednesday, 06 September 2017

What pot size should I use for this plant.

Tanu Srivastava

Monday, 04 September 2017

almost all seeds did sprout but growth is slow

vjqcavwegb

Saturday, 26 August 2017

The reason why I am reviewing this so lately is because I wanted some time to see it s germination and growth afterwards. Today the plant is in full bloom . It has almost grown up to 3 ft in height an

Pragya Kulshreshtha

[More reviews](#)